

Self-service Kiosk

# SUNMI K1

Retail Version

- 3D structured light facial recognition camera for fraud prevention
- 0~20° adjustable cameras to support different heights of face swiping requirements
- 21.5" 1920x1080 Full HD touch integrated display, multi-angle visually sensitive
- Fast scanning of payment code and cargocode using internationally renowned scanner platform
- Japanese Seiko machine Core, paper output faster and more stable
- Canary deployment, kiosk mode, debug protection, SUNMI CLOUD OS meets a wide range of commercial needs



Face-ID Payment



Face-ID Verification



Self-service Payment



Self-service Bill



Scanning



Printing



## SUNMI K1 Technical specifications



**OS**  
Android 7.1  
SUNMI OS

**CPU**  
Quad core 1.8GHz

**Display**  
Display size: 21.5" FHD  
Resolution: 1920\*1080  
View angle: 178° (typ.)

**Camera**  
3D structured light HD camera

**Scanner**  
Support 1D, 2D, mobile screen and printed barcodes

**Printer**  
80-column thermal printer with automatic cutter  
Support 80mm OD paper roll  
Print speed up to 150mm/s

**MicroSD(TF)**  
Support, Up to 64G

**Speaker**  
2\*3W(stereo)

**Wi-Fi**  
Support IEEE 802.11b/g/n

**Ethernet**  
10/100/1000M Ethernet self-adaptive

**Port**  
1x Micro-USB Debug Port  
4x USB TypeA port

**Dimensions**  
Wall mount: 360\*110\*820mm (WDH)  
Floor stand: 710\*630\*1660mm (WDH)

**Weight**  
Wall mount: 17.6kg  
Floor stand: 64.8kg

**Adapter**  
AC100~120V  
AC200~240V

**Environment**  
Working temperature: 0~40°C  
Storage temperature: -20°C~55°C

Note:  
1. Real memory will be reduced due to a number of factors, and there are differences. Operating system also occupy part of memory.  
2. Actual product specifications when sold take precedence over what may be listed at this catalogue; Any changes may be made without prior notification