



## TREK Android 15.6"

Versatile POS solution made for today's connected environments

**TREK** Android by Custom Group is your versatile, all-in-one solution for true functionality. Designed to seamlessly power a variety of applications - including **POS, Self-Service, KDS, Price Checker**, and more - TREK combines high performance, rich connectivity, and proven versatility to meet the demands of any customer touchpoint.

Google-approved and packed with power, the TREK Android 15.6" with its included stand delivers both performance and elegance to your checkout counter. Pair it with Custom's **CONNECT** stand to instantly convert it into a selfservice station. Retail-hardened and backed by Custom's trusted warranty, TREK is purpose-built to withstand the rigors of high-traffic environments.

**TREK has five other options available:**

- Trek Android 21.5", [click here](#) for more information;
- Trek Intel 21.5", [click here](#) for more information;
- Trek Intel 15.6", [click here](#) for more information;
- Trek Monitor 15.6", [click here](#) for more information;
- Trek Monitor 21.5", [click here](#) for more information.

To learn more about the entire TREK family of products, please [click here](#).





## CHARACTERISTICS

### 1. High Performance

Seamlessly power any application: POS, Self-Service, KDS, Price Checker, and more

### 2. Extreme Versatility

Choose from an assortment of Micro USB-attached accessories to instantly transform TREK for any customer touchpoint

### 3. Google Approved

Securely and flawlessly access Google's suite of apps and services via TREK's GMS-certified Android 13 operating system

### 4. Elegantly Functional

Simplify your installations while never compromising on style

### 5. Rich Connectivity

Easily connect all your POS peripherals and accessories

## MARKETS

- Retail
- Hospitality
- Grocery
- C-Store
- Entertainment
- Gaming, Lottery and Betting

## ACCESSORIES

|                       |                                        |
|-----------------------|----------------------------------------|
| <b>938PW010100001</b> | Fingerprint Reader for Trek Terminal   |
| <b>938PW010100002</b> | 2D scanner for Trek Terminal           |
| <b>938PW010100003</b> | 3 Track MSR for Trek Terminal          |
| <b>938PW010100004</b> | NFC/RFID Reader for Trek Terminal      |
| <b>938PW010100005</b> | LED Light Bar for Trek Terminal        |
| <b>938PW010100006</b> | Camera/Microphone for Trek Terminal    |
| <b>938PW010100012</b> | iButton Reader for Trek Terminal       |
| <b>938PW010100007</b> | Trek series POS stand all screen sizes |

## Customer Facing Displays

|                       |                                         |
|-----------------------|-----------------------------------------|
| <b>932PW010500M33</b> | LCM 2-Line Customer Display for Trek    |
| <b>932PW010400M33</b> | Trek 11.6" Customer Facing Display      |
| <b>932PW010300M33</b> | Trek 11.6" CFD Touch, NFC               |
| <b>938PW010100008</b> | Trek USB Type-C alt mode cable 1.8 m    |
| <b>938PW010100009</b> | Trek USB Type-C alt mode cable 0.8 m    |
| <b>938PW010100010</b> | Trek 11.6" CFD Rear Facing Mounting Arm |
| <b>938PW010100011</b> | Trek 11.6" CFD Power Adapter, Cables    |

For configuration assistance, please consult our TREK 11.6" Customer Facing Display Buyer's Guide, please [click here](#).

---

TECHNICAL SHEET

|                       |                                                                                                                      |
|-----------------------|----------------------------------------------------------------------------------------------------------------------|
| Touch Display         | 15.6"                                                                                                                |
| Resolution            | 1920x1080                                                                                                            |
| Touch Technology      | True-Flat PCAP multi-touch                                                                                           |
| Brightness            | LCD Panel: 300 NITS   PCAP Touch: 240 NITS                                                                           |
| Stand                 | Included                                                                                                             |
| Processor             | MTK G700 (MT8390)                                                                                                    |
| RAM                   | 8GB LPDDR4                                                                                                           |
| SSD                   | 128GB eMMC                                                                                                           |
| OS Supported          | Android 13.0 GMS                                                                                                     |
| USB Type-A            | 4x USB-A 2.0                                                                                                         |
| USB Type-C            | 1x USB 3.0 full-functioned (DP / PD 5 V / 2 A, 12 V / 1 A)                                                           |
| Micro USB             | 3x (accessory mounting)                                                                                              |
| CuDP                  | 1x proprietary miniDP (for 2nd display)                                                                              |
| SerialPort            | 1x RJ48 (Powered RS232) (default: 0 V; optional support for 5 V, 12 V by SKU)                                        |
| LAN                   | 1x RJ45                                                                                                              |
| CashDrawer            | 1x RJ11                                                                                                              |
| DC Jack               | 1x 2 pin                                                                                                             |
| Wireless LAN+BT       | WiFi6 + BT5.2                                                                                                        |
| Speaker               | 1x 3 W                                                                                                               |
| NFC                   | Via optional 11.6" CFD or NFC reader                                                                                 |
| Power Supply          | 65 W / 12 V                                                                                                          |
| VESA Mount            | 75 x 75 mm                                                                                                           |
| Peripheral Options    | 11.6" 2nd Display (Touch w / NFC), 2D Scanner, Camera / Microphone, Fingerprint Reader, iButton, LCM, Light Bar, MSR |
| Operating Temperature | 0° C ~ 35° C (32° F ~ 95° F)                                                                                         |
| Storage Temperature   | -20° C ~ 60° C (-4° F ~ 140° F)                                                                                      |
| Humidity              | 20% ~ 80% RH non-condensing                                                                                          |
| Dimensions            | Without Stand: 369 mm (W) x 37 mm (D) x 234 mm (H)<br>With Stand: 369 mm (W) x 165 mm (D) x 271.2 mm (H)             |
| Weight                | 1.39 kg (without stand)<br>2.25 kg (with stand)                                                                      |

MODELS

# CUSTOM



## **935PW010100L33**

Trek 15.6" Android 13 GMS G700  
8/128 Std

---

Via I. Newton, 4 - 43010 Fontevivo PR - VAT: IT02498250345 - TEL: +39 0521 680111 - FAX: - UNIQUE CODE: 8RQN7AZ

The technical data on this website are not binding and may be changed without advanced notice.

Last update: 20 January 2026